

Seasonal Well Data for Water Year 2012 -- Kelseyville Valley

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-02C2	2012	1321.4	1328.5				
	AVG	1318.5	1329.1	1949	2012	57	64
13N-09W-02H1	2012	1323.0	1329.6				
	AVG	1321.2	1330.7	1949	2012	57	61
13N-09W-02K3	2012		1333.9				
	AVG	1323.0	1335.4	1961	2012	51	54
13N-09W-03P1	2012	1320.3	1337.5				
	AVG	1309.6	1337.1	1993	2012	16	20
13N-09W-03R1	2012	1328.4	1340.9				
	AVG	1322.0	1343.2	1949	2012	58	62
13N-09W-03R2	2012		1341.4				
	AVG	1320.1	1342.4	1960	2012	49	54
13N-09W-04Q3	2012	1337.6	1346.2				
	AVG	1316.3	1346.4	1966	2012	39	45
13N-09W-06H2	2012	1329.6					
	AVG	1320.1	1333.9	1960	2012	48	52
13N-09W-06H3	2012	1329.8	1329.5				
	AVG	1321.2	1335.6	1964	2012	48	51
13N-09W-06N1	2012	1359.5	1368.3				
	AVG	1357.2	1369.3	1949	2012	56	61
13N-09W-07A3	2012	1345.5	1354.2				
	AVG	1341.6	1354.0	1966	2012	45	48
13N-09W-07E1	2012	1378.0					
	AVG	1378.4	1390.5	1949	2012	51	49
13N-09W-08K2	2012	1347.9	1356.6				
	AVG	1342.5	1358.1	1960	2012	52	53
13N-09W-09C4	2012	1340.8	1347.5				
	AVG	1332.8	1349.2	1967	2012	40	46
13N-09W-09D5	2012	1340.7					
	AVG	1333.2	1349.3	1968	2012	43	41
13N-09W-09L1	2012	1348.8	1354.1				
	AVG	1340.9	1355.0	1966	2012	45	47
13N-09W-10E1	2012	1315.3	1343.7				
	AVG	1323.0	1346.7	1949	2012	51	58

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-11F1	2012	1348.2	1358.5				
	AVG	1351.2	1358.3	1961	2012	50	53
13N-09W-12M2	2012	1337.3	1342.4				
	AVG	1328.3	1339.3	1949	2012	53	57
13N-09W-14P2	2012	1374.5	1398.5				
	AVG	1366.0	1388.7	1965	2012	57	62
13N-09W-15B2	2012	1353.2	1355.9				
	AVG	1348.1	1358.8	1949	2012	53	60
13N-09W-15J1	2012	1399.5	1399.4				
	AVG	1399.0	1403.0	1966	2012	43	47
13N-09W-15M1	2012	1390.3	1381.5				
	AVG	1391.1	1394.7	1967	2012	44	44
13N-09W-16E2	2012	1360.5	1367.6				
	AVG	1356.4	1372.0	1949	2012	53	58
13N-09W-16L1	2012	1371.1	1375.1				
	AVG	1365.9	1377.8	1961	2012	50	51
13N-09W-17C2	2012	1360.8	1370.2				
	AVG	1357.0	1372.7	1964	2012	39	43
13N-09W-18J1	2012	1387.9	1393.2				
	AVG	1376.3	1389.1	1966	2012	42	45
13N-09W-21J1	2012	1425.6	1424.1				
	AVG	1416.6	1418.3	1966	2012	45	48
13N-09W-22F1	2012		1403.8				
	AVG	1400.5	1406.2	1960	2012	42	45
13N-09W-22M1	2012	1352.5	1391.4				
	AVG	1368.8	1392.4	1966	2012	37	44
13N-09W-23F1	2012	1382.4	1384.1				
	AVG	1379.4	1381.5	1963	2012	46	49
13N-09W-27D1	2012		1502.4				
	AVG	1469.9	1477.1	1967	2012	42	45
13N-09W-27Q1	2012	1414.8	1417.3				
	AVG	1413.8	1415.0	1966	2012	42	46
13N-09W-28J2	2012	1524.3	1523.3				
	AVG	1520.6	1522.9	1966	2012	44	47
13N-09W-28N3	2012	1566.5					
	AVG	1519.4	1527.3	1966	2012	38	37

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-29R1	2012	1440.5					
	AVG	1434.3	1454.7	1966	2012	39	44
13N-09W-30A1	2012	1404.7	1415.8				
	AVG	1404.4	1413.4	1949	2012	50	58
14N-09W-32G2	2012	1321.0	1325.0				
	AVG	1314.8	1326.0	1966	2012	45	48
14N-09W-32M1	2012	1324.2	1327.9				
	AVG	1322.1	1328.9	1949	2012	60	59
14N-09W-33K1	2012	1321.8	1326.2				
	AVG	1319.8	1328.3	1949	2012	72	76
14N-09W-33L3	2012	1320.0	1324.1				
	AVG	1315.3	1324.0	1966	2012	42	45
14N-09W-34F2	2012	1323.5	1328.7				
	AVG	1319.2	1328.5	1999	2012	13	13

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

Seasonal Well Data for Water Year 2013 -- Kelseyville Valley

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-02C2	2013	1320.0	1328.2				
	AVG	1318.6	1329.1	1949	2013	58	65
13N-09W-02H1	2013	1318.5	1329.8				
	AVG	1321.2	1330.7	1949	2013	58	62
13N-09W-02K3	2013		1333.7				
	AVG	1323.0	1335.4	1961	2013	51	55
13N-09W-03P1	2013	1318.0	1336.8				
	AVG	1310.1	1337.1	1993	2013	17	21
13N-09W-03R1	2013	1322.0	1340.4				
	AVG	1322.0	1343.1	1949	2013	59	63
13N-09W-03R2	2013	1322.5	1340.9				
	AVG	1320.2	1342.3	1960	2013	50	55
13N-09W-04G1	2013		1334.7				
	AVG	1314.4	1336.8	1949	2013	49	55
13N-09W-04Q3	2013	1331.0	1346.3				
	AVG	1316.7	1346.4	1966	2013	40	46
13N-09W-06H2	2013		1336.1				
	AVG	1320.1	1334.0	1960	2013	48	53
13N-09W-06H3	2013	1323.2	1336.5				
	AVG	1321.3	1335.6	1964	2013	49	52
13N-09W-06N1	2013		1367.3				
	AVG	1357.2	1369.3	1949	2013	56	62
13N-09W-07A3	2013	1341.9	1354.7				
	AVG	1341.6	1354.0	1966	2013	46	49
13N-09W-08K2	2013	1348.8	1356.8				
	AVG	1342.6	1358.1	1960	2013	53	54
13N-09W-09C4	2013	1338.8	1348.6				
	AVG	1332.9	1349.2	1967	2013	41	47
13N-09W-09D5	2013	1338.3	1347.9				
	AVG	1333.4	1349.3	1968	2013	44	42
13N-09W-09L1	2013	1346.9	1355.3				
	AVG	1341.1	1355.0	1966	2013	46	48
13N-09W-10E1	2013	1309.3	1345.7				
	AVG	1322.7	1346.7	1949	2013	52	59

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-11F1	2013	1344.8	1359.1				
	AVG	1351.0	1358.3	1961	2013	51	54
13N-09W-12M2	2013	1318.1	1328.5				
	AVG	1328.1	1339.1	1949	2013	54	58
13N-09W-14P2	2013	1368.6	1396.3				
	AVG	1366.0	1388.8	1965	2013	58	63
13N-09W-15B2	2013	1334.5	1355.1				
	AVG	1347.9	1358.7	1949	2013	54	61
13N-09W-15D1	2013		1381.1				
	AVG	1361.8	1375.7	1966	2013	43	44
13N-09W-15J1	2013	1396.9	1399.5				
	AVG	1399.0	1402.9	1966	2013	44	48
13N-09W-15M1	2013		1391.3				
	AVG	1391.1	1394.6	1967	2013	44	45
13N-09W-16E2	2013	1362.0	1367.8				
	AVG	1356.5	1371.9	1949	2013	54	59
13N-09W-16L1	2013		1375.0				
	AVG	1365.9	1377.7	1961	2013	50	52
13N-09W-18J1	2013	1385.8	1393.7				
	AVG	1376.5	1389.2	1966	2013	43	46
13N-09W-21J1	2013	1422.5	1424.5				
	AVG	1416.8	1418.5	1966	2013	46	49
13N-09W-22F1	2013	1400.3	1403.2				
	AVG	1400.5	1406.2	1960	2013	43	46
13N-09W-22M1	2013		1390.8				
	AVG	1368.8	1392.4	1966	2013	37	45
13N-09W-23F1	2013	1381.2					
	AVG	1379.4	1381.5	1963	2013	47	49
13N-09W-27D1	2013	1501.6	1502.6				
	AVG	1470.6	1477.6	1967	2013	43	46
13N-09W-27Q1	2013	1416.9	1417.0				
	AVG	1413.9	1415.1	1966	2013	43	47
13N-09W-28J2	2013	1522.6	1524.6				
	AVG	1520.6	1523.0	1966	2013	45	48
13N-09W-30A1	2013	1357.2	1413.3				
	AVG	1403.5	1413.4	1949	2013	51	59

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
14N-09W-32G2	2013	1314.7	1326.0				
	AVG	1314.8	1326.0	1966	2013	46	49
14N-09W-32M1	2013	1322.7	1328.5				
	AVG	1322.1	1328.9	1949	2013	61	60
14N-09W-33K1	2013	1319.4	1327.4				
	AVG	1319.7	1328.3	1949	2013	73	77
14N-09W-33L3	2013	1322.2	1324.9				
	AVG	1315.4	1324.0	1966	2013	43	46
14N-09W-34F2	2013	1319.5	1328.7				
	AVG	1319.2	1328.5	1999	2013	14	14

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

Seasonal Well Data for Water Year 2014 -- Kelseyville Valley

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-02C2	2014	1317.4	1326.2				
	AVG	1318.5	1329.0	1949	2014	59	66
13N-09W-02H1	2014	1318.7	1323.4				
	AVG	1321.1	1330.6	1949	2014	59	63
13N-09W-02K3	2014		1329.0				
	AVG	1323.0	1335.3	1961	2014	51	56
13N-09W-03P1	2014	1298.1					
	AVG	1309.4	1337.1	1993	2014	18	21
13N-09W-03R1	2014	1320.6	1338.8				
	AVG	1321.9	1343.1	1949	2014	60	64
13N-09W-03R2	2014	1321.0	1339.3				
	AVG	1320.2	1342.3	1960	2014	51	56
13N-09W-04G1	2014	1320.6	1328.9				
	AVG	1314.6	1336.7	1949	2014	50	56
13N-09W-04Q3	2014	1330.2	1338.5				
	AVG	1317.0	1346.2	1966	2014	41	47
13N-09W-06H2	2014	1324.8	1320.8				
	AVG	1320.2	1333.7	1960	2014	49	54
13N-09W-06H3	2014	1326.8	1323.3				
	AVG	1321.4	1335.3	1964	2014	50	53
13N-09W-06N1	2014	1356.9	1364.1				
	AVG	1357.2	1369.2	1949	2014	57	63
13N-09W-07A3	2014	1342.3	1347.1				
	AVG	1341.7	1353.9	1966	2014	47	50
13N-09W-07E1	2014	1373.7					
	AVG	1378.3	1390.5	1949	2014	52	49
13N-09W-08K2	2014	1348.5	1353.2				
	AVG	1342.7	1358.0	1960	2014	54	55
13N-09W-09C4	2014	1338.4	1341.9				
	AVG	1333.0	1349.1	1967	2014	42	48
13N-09W-09D5	2014	1337.9					
	AVG	1333.5	1349.3	1968	2014	45	42
13N-09W-09L1	2014	1346.5	1347.8				
	AVG	1341.2	1354.9	1966	2014	47	49

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-10E1	2014	1331.9	1342.1				
	AVG	1322.9	1346.6	1949	2014	53	60
13N-09W-11F1	2014	1342.4	1352.3				
	AVG	1350.9	1358.2	1961	2014	52	55
13N-09W-12M2	2014	1328.9	1338.7				
	AVG	1328.1	1339.1	1949	2014	55	59
13N-09W-14P2	2014	1368.6	1398.3				
	AVG	1366.1	1388.9	1965	2014	59	64
13N-09W-15B2	2014	1341.1	1353.2				
	AVG	1347.8	1358.6	1949	2014	55	62
13N-09W-15D1	2014						
	AVG	1361.8	1375.7	1966	2014	43	44
13N-09W-15J1	2014	1386.3	1396.6				
	AVG	1398.7	1402.8	1966	2014	45	49
13N-09W-15M1	2014	1387.7	1389.0				
	AVG	1391.0	1394.5	1967	2014	45	46
13N-09W-16E2	2014	1361.6	1364.6				
	AVG	1356.6	1371.8	1949	2014	55	60
13N-09W-16L1	2014		1370.7				
	AVG	1365.9	1377.6	1961	2014	50	53
13N-09W-17C2	2014	1361.2					
	AVG	1357.1	1372.7	1964	2014	40	43
13N-09W-18J1	2014	1366.9	1385.9				
	AVG	1376.3	1389.1	1966	2014	44	47
13N-09W-21J1	2014	1422.5	1420.7				
	AVG	1416.9	1418.5	1966	2014	47	50
13N-09W-22F1	2014	1399.5	1399.2				
	AVG	1400.5	1406.0	1960	2014	44	47
13N-09W-22M1	2014	1404.5	1386.1				
	AVG	1369.8	1392.3	1966	2014	38	46
13N-09W-27D1	2014	1496.4					
	AVG	1471.2	1477.6	1967	2014	44	46
13N-09W-27Q1	2014	1416.0	1415.6				
	AVG	1413.9	1415.1	1966	2014	44	48
13N-09W-28J2	2014	1522.4	1521.5				
	AVG	1520.6	1522.9	1966	2014	46	49

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-28N3	2014		1560.6				
	AVG	1519.4	1528.2	1966	2014	38	38
13N-09W-30A1	2014	1405.5	1415.0				
	AVG	1403.5	1413.4	1949	2014	52	60
14N-09W-32G2	2014	1317.7	1320.8				
	AVG	1314.9	1325.9	1966	2014	47	50
14N-09W-32M1	2014	1322.6	1324.6				
	AVG	1322.1	1328.9	1949	2014	62	61
14N-09W-33K1	2014						
	AVG	1319.7	1328.3	1949	2014	73	77
14N-09W-33L3	2014		1325.2				
	AVG	1315.4	1324.1	1966	2014	43	47
14N-09W-34F2	2014	1318.8	1324.9				
	AVG	1319.2	1328.2	1999	2014	15	15

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

Seasonal Well Data for Water Year 2015 -- Kelseyville Valley

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-02C2	2015	1316.0	1327.7				
	AVG	1318.5	1329.0	1949	2015	60	67
13N-09W-02H1	2015	1317.0	1327.8				
	AVG	1321.1	1330.5	1949	2015	60	64
13N-09W-02K3	2015						
	AVG	1323.0	1335.3	1961	2015	51	56
13N-09W-03P1	2015	1304.4	1325.1				
	AVG	1309.2	1336.6	1993	2015	19	22
13N-09W-03R1	2015		1339.7				
	AVG	1321.9	1343.0	1949	2015	60	65
13N-09W-03R2	2015		1340.1				
	AVG	1320.2	1342.2	1960	2015	51	57
13N-09W-04G1	2015	1308.5	1334.0				
	AVG	1314.4	1336.6	1949	2015	51	57
13N-09W-04Q3	2015	1320.7	1344.8				
	AVG	1317.1	1346.2	1966	2015	42	48
13N-09W-06H2	2015	1320.6	1334.8				
	AVG	1320.2	1333.8	1960	2015	50	55
13N-09W-06H3	2015	1320.6	1335.7				
	AVG	1321.4	1335.4	1964	2015	51	54
13N-09W-06N1	2015	1356.3	1365.2				
	AVG	1357.2	1369.1	1949	2015	58	64
13N-09W-07A3	2015	1338.0	1353.2				
	AVG	1341.6	1353.8	1966	2015	48	51
13N-09W-08K2	2015	1343.5	1357.5				
	AVG	1342.7	1358.0	1960	2015	55	56
13N-09W-09D5	2015		1349.3				
	AVG	1333.5	1349.3	1968	2015	45	43
13N-09W-09L1	2015	1345.3	1355.8				
	AVG	1341.3	1354.9	1966	2015	48	50
13N-09W-10E1	2015	1326.7	1343.6				
	AVG	1323.0	1346.5	1949	2015	54	61
13N-09W-11F1	2015	1334.9	1357.3				
	AVG	1350.6	1358.2	1961	2015	53	56

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-12M2	2015	1322.5	1339.1				
	AVG	1328.0	1339.1	1949	2015	56	60
13N-09W-14P2	2015	1360.0	1387.6				
	AVG	1366.0	1388.9	1965	2015	60	65
13N-09W-15B2	2015	1334.6	1354.8				
	AVG	1347.5	1358.6	1949	2015	56	63
13N-09W-15J1	2015	1388.0	1397.6				
	AVG	1398.5	1402.7	1966	2015	46	50
13N-09W-15M1	2015	1387.1	1382.0				
	AVG	1390.9	1394.2	1967	2015	46	47
13N-09W-16E2	2015	1360.6	1361.6				
	AVG	1356.7	1371.7	1949	2015	56	61
13N-09W-17C2	2015		1371.5				
	AVG	1357.1	1372.6	1964	2015	40	44
13N-09W-18J1	2015	1383.9	1394.0				
	AVG	1376.4	1389.2	1966	2015	45	48
13N-09W-19J1	2015	1381.2	1402.6				
	AVG	1389.1	1402.4	1967	2015	45	42
13N-09W-21J1	2015	1418.7	1418.5				
	AVG	1416.9	1418.5	1966	2015	48	51
13N-09W-22M1	2015	1343.6	1386.2				
	AVG	1369.1	1392.1	1966	2015	39	47
13N-09W-27D1	2015		1494.8				
	AVG	1471.2	1478.0	1967	2015	44	47
13N-09W-27Q1	2015	1414.7	1416.8				
	AVG	1413.9	1415.1	1966	2015	45	49
13N-09W-28J2	2015	1520.7	1522.1				
	AVG	1520.6	1522.9	1966	2015	47	50
13N-09W-29R1	2015	1394.4	1423.7				
	AVG	1433.3	1454.0	1966	2015	40	45
13N-09W-30A1	2015	1405.1	1413.2				
	AVG	1403.5	1413.4	1949	2015	53	61
14N-09W-32G2	2015		1324.5				
	AVG	1314.9	1325.9	1966	2015	47	51
14N-09W-32M1	2015	1321.5	1327.2				
	AVG	1322.1	1328.8	1949	2015	63	62

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
14N-09W-33L3	2015		1323.5				
	AVG	1315.4	1324.1	1966	2015	43	48
14N-09W-34F2	2015	1316.0	1327.6				
	AVG	1319.0	1328.2	1999	2015	16	16

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

Seasonal Well Data for Water Year 2016 -- Kelseyville Valley

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-02C2	2016	1322.0	1329.9				
	AVG	1318.6	1329.0	1949	2016	61	68
13N-09W-02H1	2016	1318.0	1331.4				
	AVG	1321.0	1330.6	1949	2016	61	65
13N-09W-03P1	2016	1316.8	1332.3				
	AVG	1309.5	1336.4	1993	2016	20	23
13N-09W-03R1	2016	1319.2	1343.9				
	AVG	1321.9	1343.0	1949	2016	61	66
13N-09W-03R2	2016	1320.5	1342.5				
	AVG	1320.2	1342.2	1960	2016	52	58
13N-09W-04G1	2016	1310.5					
	AVG	1314.4	1336.6	1949	2016	52	57
13N-09W-04Q3	2016	1331.6	1348.3				
	AVG	1317.4	1346.3	1966	2016	43	49
13N-09W-06H2	2016	1322.3	1338.0				
	AVG	1320.2	1333.8	1960	2016	51	56
13N-09W-06H3	2016	1323.6	1337.4				
	AVG	1321.4	1335.4	1964	2016	52	55
13N-09W-06N1	2016	1357.5	1367.8				
	AVG	1357.2	1369.1	1949	2016	59	65
13N-09W-07A3	2016	1342.3	1356.0				
	AVG	1341.6	1353.9	1966	2016	49	52
13N-09W-08K2	2016	1347.4	1359.1				
	AVG	1342.8	1358.0	1960	2016	56	57
13N-09W-09D5	2016	1337.2	1350.2				
	AVG	1333.5	1349.3	1968	2016	46	44
13N-09W-09L1	2016	1350.3	1355.6				
	AVG	1341.4	1354.9	1966	2016	49	51
13N-09W-10E1	2016	1330.6	1347.9				
	AVG	1323.1	1346.6	1949	2016	55	62
13N-09W-11F1	2016	1339.5	1358.6				
	AVG	1350.4	1358.2	1961	2016	54	57
13N-09W-12M2	2016	1325.3	1342.1				
	AVG	1328.0	1339.1	1949	2016	57	61

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
13N-09W-14P2	2016	1367.2	1396.7				
	AVG	1366.0	1389.0	1965	2016	61	66
13N-09W-15B2	2016	1335.1	1352.9				
	AVG	1347.3	1358.5	1949	2016	57	64
13N-09W-15D1	2016		1365.8				
	AVG	1361.8	1375.5	1966	2016	43	45
13N-09W-15J1	2016	1395.4	1399.0				
	AVG	1398.4	1402.6	1966	2016	47	51
13N-09W-15M1	2016	1378.0	1382.0				
	AVG	1390.7	1394.0	1967	2016	47	48
13N-09W-16E2	2016	1361.2	1372.0				
	AVG	1356.7	1371.7	1949	2016	57	62
13N-09W-16L1	2016		1376.3				
	AVG	1365.9	1377.6	1961	2016	50	54
13N-09W-17C2	2016	1363.1	1362.5				
	AVG	1357.2	1372.4	1964	2016	41	45
13N-09W-18J1	2016	1384.0	1394.5				
	AVG	1376.6	1389.3	1966	2016	46	49
13N-09W-19J1	2016	1384.3	1403.3				
	AVG	1389.0	1402.4	1967	2016	46	43
13N-09W-21J1	2016	1419.4	1417.3				
	AVG	1417.0	1418.5	1966	2016	49	52
13N-09W-22M1	2016	1346.0	1385.7				
	AVG	1368.5	1392.0	1966	2016	40	48
13N-09W-27Q1	2016	1414.5	1419.6				
	AVG	1413.9	1415.2	1966	2016	46	50
13N-09W-28J2	2016	1519.3	1532.1				
	AVG	1520.6	1523.1	1966	2016	48	51
13N-09W-28N3	2016	1546.3	1549.7				
	AVG	1520.1	1528.7	1966	2016	39	39
13N-09W-29R1	2016	1414.0	1455.5				
	AVG	1432.9	1454.0	1966	2016	41	46
13N-09W-30A1	2016	1405.5	1413.7				
	AVG	1403.6	1413.4	1949	2016	54	62
14N-09W-32G2	2016	1314.1					
	AVG	1314.8	1325.9	1966	2016	48	51

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.

STATE NO		Oct	Apr	First Year	Last Year	Oct Count	Apr Count
14N-09W-32M1	2016	1322.3	1329.9				
	AVG	1322.1	1328.9	1949	2016	64	63
14N-09W-33L3	2016		1325.8				
	AVG	1315.4	1324.1	1966	2016	43	49
14N-09W-34F2	2016	1318.3	1330.2				
	AVG	1318.9	1328.3	1999	2016	17	17

Seasonal well averages use entire range of available records for a particular well. However, data with 'Questionable Measurements' are excluded from the calculated average.